DDA SUBJECT FILE COPY 1.	O: (Name, office symbol building, Agency/Pos DIRECTOR OF I	. room number, t) NFORMATION TECHNOIC	Initials Date
			XGY
		,	
<u>.</u>			
S.			
	Action	File	Note and Return
_	Approval	For Clearance	Per Conversation
	As Requested	For Correction	Prepare Reply
_	Circulate	For Your Information	See Me
-	Comment	Investigate	Signature
-	Coordination EMARKS	Justify	
TAT		andle as appropriated the Cone DD/A REGISTI	8130160
	O NOT use this form	as a RECORD of approvals learances, and similar action	, concurrences, disposals,
FI TO THE PROPERTY OF THE PROP	ROM: (Name, org. symb	ol, Agency/Post)	Room No.—Bidg.
TAT	HENRY P. MAHON ADDA	IEY	Phone No.
SC	041–102 ⇒ U.S.G.P.O.: 1983-4	OPTIONA Prescribed FPMR (41 C	L FORM 41 (Rev. 7-76) by GSA CFR) 101-11.206
		•	

Declassified in Part - Sanitized Copy Approved for Release 2011/12/20 : CIA-RDP88G01332R000700750002-1 **EXECUTIVE SECRETARIAT ROUTING SLIP ACTION** INFO DATE INITIAL 1 DCI 2 DDCI 3 EXDIR 4 D/ICS 5 DDI 6 DDA 7 DDO 8 DDS&T 9 Chm/NIC GC 10 IG 11 12 Compt 13 D/OLL 14 D/PAO 15 D/PERS 16 VC/NIC 17 D/OIT/DA 18 19 20 21 22 SUSPENSE Date Remarks **STAT** Executive Secretary 12 Aug 86 3637 (10-81)



Executive Registry

86- 3624X

June 24, 1986

Hon. William J. Casey Director Central Intelligence Agency Langley, VA 22101

Dear Hon. Casey:

MITEK Systems, Inc. is pleased to announce a new TEMPEST Laser Printer, Model 110T Plus, with enhanced graphics and downloadable fonts. Priced at \$6,980, this product operates at eight pages per minute with a variety of PCs and has already established itself as a durable, high performance, secure systems output device.

Customer service for remedial maintenance and technical support is available in several forms, appropriate to operational requirements. Return and repair service is provided on the bases of time and materials or at an established monthly rate. We are now also offering modular replacement service to effect prompt repairs without impairment of TEMPEST integrity. Depot and on-site maintenance plans, as well as training and spare parts for customer self-maintenance, are offered in accordance with user requirements.

MITEK Systems, Inc. is based in San Diego, California, with sales/support offices there, in San Antonio Texas, and in Rosslyn, Virginia. We welcome the opportunity to provide you with TEMPEST laser printers and a growing product line of secure and non-secure systems peripherals.

Sincerely,
MITEK SYSTEMS, INC.

Larry Brown Sales Director

LB:jce Encls. DCI EXEC REG

MITEK SYSTEMS, INC. 10225 Barnes Canyon Road Suite A104 San Diego, CA 92121 619-587-9157

MITEK SYSTEMS, INC. 8961 Tesoro Drive Suite 500 San Antonio, TX 78217 512-822-2148

MITEK SYSTEMS, INC. 2000 15th Street North Suite 207 Arlington, VA 22201 703-522-4491

800-367-5660

FAX 619-587-0825



10225 BARNES CANYON RD. SAN DIEGO, CA 92121 (619) 587-9157

MODEL 110T TEMPEST ENHANCED LASER PRINTER



The **MODEL 110T TEMPEST** desktop laser printer provides letter quality text and high resolution graphics. It is tested and certified to meet NACSIM 5100A requirements and is listed on the U.S. Government's Preferred Products List.

The MODEL 110T features:

- EIGHT PAGE PER MINUTE PRINTING
- DOWNLOADABLE FONTS
- PARALLEL OR SERIAL INTERFACE
- ENHANCED GRAPHICS
- WHISPER QUIET OPERATION



AND THE
MODEL 110T
IS AVAILABLE FOR
IMMEDIATE
DELIVERY

Contact us today: (800) 367-5660

MITEK SYSTEMS, INC.

MODEL 110T SPECIFICATIONS

PRINT

Letter quality print
Multiple character fonts per page
300 x 300 dots-per-inch print resolution
Portrait and Landscape print orientation
Eight pages per minute print speed
Automatic and manual paper feed

GRAPHICS

395K bytes of raster graphics
Single or multiple images on a page
300, 150, 100 or 75 dots per inch resolution
Pattern and shading capabilities
Macro capability
Forms overlay

PAPER

Single sheet bond and copier paper (16 to 21 pound weight)
Standard Letter, Legal or European size (8.5 x 11 inch Letter)
(8.5 x 14 inch Legal)
(210mm x 297mm European A4)
(182mm x 257mm European B5)
Supports labels, colored and preprinted paper, paper with prepunched holes, and overhead transparency film
100 sheet input, 20 sheet output paper tray

PHYSICAL

Dimensions (18.5 in. x 16.2 in. x 16.0 in. without trays) Dimensions (18.5 in. x 28.2 in. x 16.0 in. with trays) Weight (90 lbs.)

INTERFACES

Standard RS-232 Serial Interface Optional Parallel Interface

SECURITY AND COMPLIANCE

NACSIM 5100A certified PPL listed

ENVIRONMENTAL

Standard office operations
Temperature (50-91 degrees F)
Relative humidity (20-80%)
Altitude (0-8,200 ft.)

Audible noise
Printing noise (< 55dBA)
Standby noise (< 45dBA)

Non-Operating
Temperature (32-95 degrees F)
Relative humidity (10-80%)
Altitude (0-49,200 ft.)

Power
Voltage/Frequencies
(115V ± 10% 60Hz)
Consumption at 115V AC
(850 watts printing maximum — 2900 BTU/hour)

MAINTENANCE

Self-diagnostics error display 90 day warranty with optional maintenance plans available

MODEL 110T SUPPLIES AND ACCESSORIES

PRINTER SUPPLIES

Imaging Process (EP) Cartridge
(contains the toner, drum and developing unit with
replaceable cleaning pad and user installation
instructions)
Letter, Legal and European size paper trays

CABLES

Shielded serial TEMPEST Cable in 4, 10, 25 or 50 foot lengths
Shielded parallel TEMPEST Cable in 4 or 10 foot lengths

FONT CARTRIDGES

A variety of standard TEMPEST font cartridges are available including
Courier 10
International Courier
Proportional Spaced
Prestige Elite
Letter Gothic
Optional customized fonts available upon request

DOWN LOADABLE FONTS

A variety of fonts in sizes from 8 to 24 points

Western Region call: Eastern Region call: FAX: (619)587-0825

(619)587-9157 (703)522-4491

Central Region call: Outside Calif. call: (512)822-2148 (800)367-5660

Declassified in Part - Sanitized Copy Approved for Release 2011/12/20 : CIA-RDP88G01332R000700750002-1